

Hoods for D Sub-miniature Connectors

Plastic Hood - 180°



- A family of low cost, one-piece top entry black plastic hoods designed to accommodate 9, 15, 25, 37 or 50 contact subminiature D connectors. Hinged in the centre, the two halves of this hood latch together. This product is supplied with long thumbscrews and strain relief with variable cable adjustment.

No. of contacts	Part Number	Cable Outlet (max)
09	DAC 254 P	9.2mm
15	DAC 255 P	11.0mm
25	DAC 256 P	11.5mm
37	DAC 257 P	10.8mm
50	DAC 258 P	12.9mm

Plastic Hood - 180°
(available metalised)



Metalised version

- This family provides a high quality, two-piece black plastic top entry hood for 9, 15, 25, 37 and 50 way subminiature D connectors. The two pieces of this hood latch together, and are then screwed for positive locking. The standard part includes strain relief and long thumbscrews.
- **Note: If the metalised version is required please suffix the part number with 'Z'**

No. of contacts	Part Number	Cable Outlet (max)
09	DAC 40 P	8.0mm
15	DAC 41 P	8.0mm
25	DAC 42 P	11.3mm
37	DAC 43 P	11.3mm
50	DAC 44 P	13.8mm

Plastic Hood - 180°
(available metalised)



Plastic version

- A quality range of two-piece grey plastic hoods, designed for top or side entry applications and for use with 9, 15, 25, 37 or 50 way subminiature D connectors. Latch and screw retention. Strain relief, cover plate and short jackscrews supplied.
- **Note: If the metalised version is required please suffix the part**

No. of contacts	Part Number	Cable Outlet (max)
*09	DAC 62 P	6.5mm
15	DAC 63 P	11.2mm
25	DAC 64 P	11.2mm
37	DAC 65 P	11.2mm
50	DAC 66 P	14.0mm

* = top entry only

Plastic Hood - 180°




- A quality range of one-piece top entry grey plastic hoods in 9, 15, 25, 37 and 50 way versions for use with subminiature D connectors. This product is supplied with a plastic strain relief wedge and connector mounting screws. Slide locks can be fitted.

No. of contacts	Part Number	Cable Outlet (max)
09	DAC 35 P	7.1mm
15	DAC 36 P	9.1mm
25	DAC 30 P	9.1mm
37	DAC 37 P	9.1mm
50	DAC 67 P	11.9mm

Hoods for D Sub-miniature Connectors

Plastic Hood - 90°



- This product group of one-piece grey plastic hoods is designed with a right-angle cable outlet, for use with the standard size subminiature D connectors. It comes complete with a plastic strain relief wedge and connector mounting screws. Slide locks can be fitted.

No. of contacts	Part Number	Cable Outlet (max)
09	DAC 39 P	7.1mm
15	DAC 28 P	9.1mm
25	DAC 31 P	9.1mm
37	DAC 53 P	9.1mm
50	DAC 27 P	11.9mm

Die-Cast Hood - 180°



- A series of zinc die-cast metal hoods with nickel plated finish, in 9, 15, 27, 37 and 50 way versions for housing subminiature D connectors. Complete with long thumbscrews the two-piece body is supplied with a strain relief, rubber grommet and

No. of contacts	Part Number	Cable Outlet (max)
09	DAC 09 P	9.0mm
15	DAC 47 P	9.0mm
25	DAC 32 P	11.3mm
37	DAC 68 P	11.3mm
50	DAC 69 P	13.8mm

Die-Cast Hood - 180°



- This product grouping offers two-piece top entry zinc die-cast metal hoods for subminiature D connectors in the 9, 15 and 25 way versions with a range of optional cable outlet sizes for which details are available on request.

Note: Other cable outlet sizes available, please consult factory.

No. of contacts	Part Number	Cable Outlet (max)
09	DAC 232 P	5.5mm
09	DAC 176 P	6.3mm
09	DAC 173 P	8.0mm
09	DAC 177 P	8.9mm
09	DAC 104 P	10.5mm
15	DAC 233 P	6.0mm
15	DAC 179 P	8.9mm
25	DAC 180 P	6.3mm
25	DAC 181 P	8.9mm
37	DAC 183 P	8.9mm
37	DAC 185 P	15.0mm

Hoods for D Sub-miniature Connectors

Plastic Adaptor/Hood



- 2 piece clip together black plastic adaptor hood designed to accommodate both cable to connector and connector to connector applications. The product is supplied with accessories allowing it to be used in either mode.

No. of contacts	Part Number	Cable Outlet Ø
9	DAC 316	7.7mm
15	DAC 317	7.7mm
25	DAC 318	7.7mm
37	DAC 319	7.7mm
50	DAC 320	7.7mm

Note: If the metalised version is required please suffix the part number with 'Z'

Plastic Hood - 60° and 180°



- 2 piece screw together black plastic hood designed for use with connectors which are mounted closely together as in the euro style, dual port connectors or where space around the connector does not permit the use of a standard hood. It is available with 60° and 180° cable exit.


60°		
No. of contacts	Part No.	Cable Outlet Ø
9	DAC 325	4-8mm
15	DAC 326	4-8mm
25	DAC 327	4.5-9mm
37	DAC 328	4.5-9mm

180°		
No. of contacts	Part No.	Cable Outlet Ø
9	DAC 321	4-8mm
15	DAC 322	4-8mm
25	DAC 323	4.5-9mm
37	DAC 324	4.5-9mm

Note: If the metalised version is required please suffix the part number with 'Z'

Hoods for D Sub-miniature Connectors

Plastic Shielded Hoods with Coding Clips



By coding the hoods, incorrect mating can be avoided when several similar connectors are being used. The coloured snap in coding clips, together with the coding frames ensure correct inter-mating. The metalised coding frame fits between the connector and the panel.


No of Contacts	Style	Part No.	Style	Part No.	Cable Outlet Ø
15	Right Angle	DAC 348	Straight	DAC 351	8.00 mm
25	Right Angle	DAC 347	Straight	DAC 350	11.2 mm
37	Right Angle	DAC 346	Straight	DAC 349	11.2 mm

Coding Frame



No. of Contacts	Part No.
15	DAC 352
25	DAC 353
37	DAC 354

Colour Coding Clips



Colour	Part No.
Blue	DAC 355
Yellow	DAC 356
Red	DAC 357